

EC Declaration of Product Conformity

Select Black Latex EC (GT001*)

Non-sterile, powder free, latex single use glove

The manufacturer established in the Community declares that the new medical device and PPE described hereafter, Select Black Latex EC, is in conformity with the provisions of Council Directive 93/42/EEC as amended, national standards EN455-1:2000, EN455-2:2015, EN455-3:2015 and EN455-4:2009 and is Class I self-certified and

is in conformity with the provisions of Council Directive 89/686/EEC as amended and where such is the case, with national standards transposing harmonized standards EN374-1:2003, EN374-2:2003, EN374-3:2003 and EN420:2003+A1:2009

is identical to the PPE which is the subject of EC certificate of conformity no. 7061 issued by SATRA Technology Centre, Wyndham Way, Telford Way, Kettering, Northamptonshire, NN16 8SD, UK (Notified Body No. 0321)

conforms to the provisions of Council Directive 89/686/EEC Article 11A under the supervision of the Notified Body, SATRA Technology Centre, (Notified Body No. 0321)

Unigloves are a market-leading manufacturer of premium quality, specialist, single use gloves.

We make and supply over 2 billion gloves annually to medical professionals, as well as specialists in the food, automotive, janitorial and care sectors.

 **Unigloves**
Lakeside Park
Neptune Close
Rochester
Kent
ME2 4LT
 01634 726 516
 unigloves.co.uk

Product Information

Glove Care: Store between 5°C and 25°C in a cool dry environment away from direct sunlight.

Food Contact: Select Black Latex EC gloves have been tested in accordance with EN1186. They are suitable for use with all food categories, in situations of short term repeat contact.

User Information

Cleaning: Gloves cannot be cleaned and reused. Before use, check gloves for physical damage. Do not use damaged gloves.

Fitting and sizing: Only wear products of a suitable size. Products which are either too loose or tight will restrict movement and will not provide the optimum level of protection.

Allergy advice: This product contains natural rubber latex and may contain low levels of residual chemical accelerators, which may cause allergic reactions.

Available sizes

Extra Small	GT0011
Small	GT0012
Medium	GT0013
Large	GT0014
Extra Large	GT0015



Chris Wahlers

Director

Unigloves (UK) Limited

CE 0321 

Material safety data sheet

Revision 3 | 24 October 2017

Product code	GT001* The last digit of the order code is dependent on the glove size e.g. 1 = extra small, 5= extra large. N.B. Not all gloves are available in all sizes.	
1. Identification of the substance	Natural rubber latex	
2. Intended application	The intended application of this product are only for the purposes of examination, medical treatments and handling contaminated medical devices to prevent cross contamination between users and the patients. This product is a non-sterile single use natural rubber latex glove and must not be used for sterile applications.	
3. Composition / ingredients	Calcium Carbonate, Natural Rubber Latex, ZDBC, ZDEC, Zinc Oxide, Wingstay-L, Sulphur, Titanium Dioxide.	
4. Identification of hazards	This product contains natural rubber latex and accelerators and may cause allergic reactions. The colour pigment used is not classified as hazardous.	
5. First-aid measures	In case of rashes or any other discomfort appear, discontinue use immediately and wash hand with plenty of water. Consult physician.	
6. Fire-fighting measures	Extinguishing media: water, foam or dry powder. In case of fire wear respiratory protection equipment.	
7. Accidental release measures	No special procedure required. Sweep into appropriate container for disposal. Accidentally released gloves shall not be reused.	
8. Handling and storage	Store in cool and dry area. Protect from sources of heat, direct sun light and UV light.	
9. Exposure control and personal protection	Discontinue use if rashes or other sign of discomfort occur. Thin cotton gloves may be used as liner to prevent direct skin contact.	
10. Physical and chemical properties	Form:	Elastomer
	Colour:	Black
	Odour:	Inherent
	Surface:	Microroughened
	Solubility in water:	Insoluble
	Soluble in:	None identified
	pH value:	Neutral
11. Stability and reactivity	Stability:	Stable
	Materials to avoid:	Petroleum based solvents
	Conditions to avoid:	Sunlight, UV light and heat
	Hazardous decomposition chemicals:	Carbon and sulphur oxides, aliphatic and aromatic hydrocarbons
12. Toxicology information	Skin irritation:	None identified
	Dermal contact sensitisation:	This product contains natural rubber latex and accelerators and may cause allergic reactions in some individuals
13. Ecological information	Non-biodegradable	
14. Disposal considerations	Landfill; dispose of in accordance with local and national regulations. May be incinerated in a suitable facility using heat recovery	
15. Transport information	Not classified	

Material safety data sheet

Revision 3 | 24 October 2017

16. Regulatory information

Primary regulation:	MDD 93/42/EEC and PPED 89/686/EEC
Classification:	Class I non-sterile medical device / Complex design (Cat III) PPE
Risk phrases:	N/A
Safety phrases:	If it is suspected you may have an allergy, discontinue use of the gloves and seek medical advice.

17. Other information

None

The data shown here is based on current knowledge and experience. The purpose of this safety data sheet is to describe the product in terms of its safety requirements. The data does not signify or imply any warranty with regard to the product properties or performance.

Unigloves

Product specification sheet

Revision 5 | 24 October 2017

1.	Product code	GT001*																																		
2.	Product description	Select Black Latex (EC)																																		
3.	Material	Latex																																		
4.	Inspection parameters	<table border="1"> <thead> <tr> <th>Criteria</th> <th>Inspection level</th> <th>AQL</th> <th colspan="3">Standard</th> </tr> </thead> <tbody> <tr> <td>Dimensions</td> <td>S-2</td> <td>4</td> <td colspan="3">EN455-2</td> </tr> <tr> <td>Physical properties</td> <td>S-2</td> <td>4</td> <td colspan="3">EN455-2</td> </tr> <tr> <td>Water tight test (1,000ml)</td> <td>G-1</td> <td>1.5</td> <td colspan="3">EN455-1</td> </tr> <tr> <td>Visual defects</td> <td>G-1</td> <td>2.5</td> <td colspan="3">In-house</td> </tr> </tbody> </table>					Criteria	Inspection level	AQL	Standard			Dimensions	S-2	4	EN455-2			Physical properties	S-2	4	EN455-2			Water tight test (1,000ml)	G-1	1.5	EN455-1			Visual defects	G-1	2.5	In-house		
Criteria	Inspection level	AQL	Standard																																	
Dimensions	S-2	4	EN455-2																																	
Physical properties	S-2	4	EN455-2																																	
Water tight test (1,000ml)	G-1	1.5	EN455-1																																	
Visual defects	G-1	2.5	In-house																																	
5.	Glove dimensions	<table border="1"> <thead> <tr> <th rowspan="2">Dimensions</th> <th colspan="5">Size (mm)</th> </tr> <tr> <th>XS</th> <th>S</th> <th>M</th> <th>L</th> <th>XL</th> </tr> </thead> <tbody> <tr> <td>Product code</td> <td>GT0011</td> <td>GT0012</td> <td>GT0013</td> <td>GT0014</td> <td>GT0015</td> </tr> <tr> <td>Palm width</td> <td>75 ± 5</td> <td>80 ± 10</td> <td>95 ± 10</td> <td>110 ± 10</td> <td>≥ 110</td> </tr> <tr> <td>Length</td> <td>≥ 300</td> <td>≥ 300</td> <td>≥ 300</td> <td>≥ 300</td> <td>≥ 300</td> </tr> </tbody> </table>					Dimensions	Size (mm)					XS	S	M	L	XL	Product code	GT0011	GT0012	GT0013	GT0014	GT0015	Palm width	75 ± 5	80 ± 10	95 ± 10	110 ± 10	≥ 110	Length	≥ 300	≥ 300	≥ 300	≥ 300	≥ 300	
Dimensions	Size (mm)																																			
	XS	S	M	L	XL																															
Product code	GT0011	GT0012	GT0013	GT0014	GT0015																															
Palm width	75 ± 5	80 ± 10	95 ± 10	110 ± 10	≥ 110																															
Length	≥ 300	≥ 300	≥ 300	≥ 300	≥ 300																															
6.	Glove thickness	<table border="1"> <thead> <tr> <th>Point of thickness measurement</th> <th>Nominal single wall (mm)</th> </tr> </thead> <tbody> <tr> <td>Cuff (at beaded end)</td> <td>0.08</td> </tr> <tr> <td>Palm (at centre of palm)</td> <td>0.15</td> </tr> <tr> <td>Fingertip (at fingertip)</td> <td>0.16</td> </tr> </tbody> </table>					Point of thickness measurement	Nominal single wall (mm)	Cuff (at beaded end)	0.08	Palm (at centre of palm)	0.15	Fingertip (at fingertip)	0.16																						
Point of thickness measurement	Nominal single wall (mm)																																			
Cuff (at beaded end)	0.08																																			
Palm (at centre of palm)	0.15																																			
Fingertip (at fingertip)	0.16																																			
7.	Physical properties	<table border="1"> <thead> <tr> <th>Parameters</th> <th>Before aging</th> <th>After aging</th> </tr> </thead> <tbody> <tr> <td>Median force at break (N)</td> <td>Min 6.0</td> <td>Min 6.0</td> </tr> <tr> <td>Tensile strength (MPa)</td> <td>Min 18.0</td> <td>Min 14.0</td> </tr> <tr> <td>Ultimate elongation (%)</td> <td>Min 650</td> <td>Min 500</td> </tr> </tbody> </table>					Parameters	Before aging	After aging	Median force at break (N)	Min 6.0	Min 6.0	Tensile strength (MPa)	Min 18.0	Min 14.0	Ultimate elongation (%)	Min 650	Min 500																		
Parameters	Before aging	After aging																																		
Median force at break (N)	Min 6.0	Min 6.0																																		
Tensile strength (MPa)	Min 18.0	Min 14.0																																		
Ultimate elongation (%)	Min 650	Min 500																																		
8.	Proteins	< 50 µg/g extractable latex proteins																																		
9.	Powder residue	Maximum 2.0 mg / glove																																		
10.	Cuff type	Beaded																																		
11.	Design	Ambidextrous																																		
12.	Surface	Microroughened																																		
13.	Colour	Black																																		
14.	Quality assurance	Manufactured under ISO 9001:2008 and 13485:2012																																		

The above data represents the product norm, which may be changed without notice and is intended as a guide only.

Warehouse data sheet

Revision 3 | 25 October 2017

Product code

GT001*

Individual Boxes

Product Code	Size	Barcode (EAN-13)	Weight (g.)	Quantity (gloves)	Dimensions (mm)
GT0011	Extra Small	5060264117369	755.00	100	260 (L) x 130 (W) x 90 (H)
GT0012	Small	5060264117376	805.00	100	260 (L) x 130 (W) x 90 (H)
GT0013	Medium	5060264117383	855.00	100	260 (L) x 130 (W) x 90 (H)
GT0014	Large	5060264117390	905.00	100	260 (L) x 130 (W) x 90 (H)
GT0015	Extra Large	5060264117406	955.00	100	260 (L) x 130 (W) x 90 (H)

Cartons

Product Code	Size	Barcode (EAN-13)	Weight (kg)	Quantity (gloves)	Dimensions (mm)
GT0011	Extra Small	5060264117413	7.95	10 x 100	470 (L) x 280 (W) x 275 (H)
GT0012	Small	5060264117420	8.45	10 x 100	470 (L) x 280 (W) x 275 (H)
GT0013	Medium	5060264117437	8.95	10 x 100	470 (L) x 280 (W) x 275 (H)
GT0014	Large	5060264117444	9.45	10 x 100	470 (L) x 280 (W) x 275 (H)
GT0015	Extra Large	5060264117451	9.95	10 x 100	470 (L) x 280 (W) x 275 (H)

Pallets

Product Code	Size	Volume (m ³)	Weight (kg)	Quantity (cartons)	Dimensions (mm)
GT0011	Extra Small		576.50	70	1,000 (L) x 1,200 (W) x 1,900 (H)
GT0012	Small		611.50	70	1,000 (L) x 1,200 (W) x 1,900 (H)
GT0013	Medium		646.50	70	1,000 (L) x 1,200 (W) x 1,900 (H)
GT0014	Large		681.50	70	1,000 (L) x 1,200 (W) x 1,900 (H)
GT0015	Extra Large		716.50	70	1,000 (L) x 1,200 (W) x 1,900 (H)

Containers

Product Code	Size	Container Quantity (cartons)		
		20ft	40ft	40ft High Cube
GT0011	Extra Small	890		2010
GT0012	Small	890		2010
GT0013	Medium	890		2010
GT0014	Large	890		2010
GT0015	Extra Large	890		2010