

MULTI-PURPOSE

HEAT PROTECTION

COLD PROTECTION

**Benchmark****BMG842****WATER REPELLENT FULLY-COATED DUAL LATEX THERMAL GRIP GLOVE**

A durable, water repellent, insulated grip glove that's designed to protect down to -30°C for short or intermittent contact.

**FEATURES**

- › Protects hands down to -30°C for short or intermittent contact
- › Water repellent surface combined with thermal liner keeps hands warm and dry
- › Engineered full smooth latex coating with second sandy latex coating on palm for strong grip property
- › Outer liner in nylon and inner liner in acrylic terry fleeced improves thermal protection
- › Latex coating on a nylon liner enhances high level of flexibility and reduces fatigue
- › Suitable for contact heat resistance up to 250°C (approx. 15 seconds)
- › Seamless liner prevents irritation
- › Orange colour enhances safety in low light conditions

**SUITABLE FOR****Typical Industries**

- Agriculture
- Construction
- Landscaping
- Logistics
- Mechanical
- Public Utilities
- Rail

**Suitable Applications**

- Handling Construction Materials
- Transportation
- Labouring
- Outdoor Wet Work
- Warehousing
- Maintenance
- Handling ice / snow

**CERTIFICATION**

CAT II



EN 388:2016



2242X

EN 511:2006



X2X

EN 407:2020



X2XXXX

See overleaf for explanation

**Globus**  
GROUP

MULTI-PURPOSE

HEAT PROTECTION

COLD PROTECTION

**Benchmark****BMG842****PRODUCT INFORMATION**


<b>MATERIALS</b>	<b>LINER:</b>	13 gauge nylon / acrylic terry fleeced inner liner
	<b>COATING:</b>	Full smooth latex with sandy latex on palm
<b>COLOUR</b>	Orange/black	
<b>LENGTH (mm)</b>	250 (size dependent)	
<b>CUFF STYLE</b>	Elasticated knit wrist	

**RECOMMENDATIONS FOR USE**



- **USE:** Cold resistant glove. Not suitable for heat (beyond 250C), electrical or chemical protection. Do not use near moving machines if there is a risk of entanglement
- **STORAGE :** Store in dry conditions in the original AE206:AF218nd away from direct sunlight
- **CLEANING:** To clean, wipe with a damp cloth. Note: The performance characteristics of worn and laundered gloves may differ from the results shown. Inspect the gloves to ensure no damage is present
- **LIFETIME:** Service life depends on the glove application and therefore cannot be specified. It is the responsibility of user to ensure the glove is suitable for its intended use
- **WARNING:** Latex may cause allergies

**ORDERING DETAILS**

SIZE	CODE	PACKAGING
7/S	BMG00842GD	10 pairs per bag 60 pairs per case
8/M	BMG00842GF	
9/L	BMG00842GH	
10/XL	BMG00842GJ	
11/XXL	BMG00842GL	

**CERTIFICATION LEGENDS**MECHANICAL HAZARDS EN 388:2016  
PERFORMANCE LEVELS\*

\*If tests are not performed or are not applicable, 'X' will be placed instead of a number/letter

HEAT AND FIRE  
EN 407COLD HAZARDS  
EN 511**EUROPE**[www.globus.co.uk](http://www.globus.co.uk)**E:** sales@globus.co.uk**T:** +44 (0)161 877 4747**F:** +44 (0)161 877 4746**MIDDLE EAST AND AFRICA**[www.globusgroup.com/gcc](http://www.globusgroup.com/gcc)**E:** gcc@globusgroup.com**T:** +971 4 882 9962**F:** +971 4 882 9963Globus (Shetland) Ltd, T2 Trafford Point, Twining Road, Trafford Park, Manchester, M17 1SH, UNITED KINGDOM  
Globus EMEA FZE, Jafza One, Tower A, Office 2201, Jebel Ali, PO Box 61195, Dubai, UNITED ARAB EMIRATES

©2021 Globus (Shetland) Ltd | BMK-DATA-BMG842-0621\_1

EU Type-Examination Certificate issued by CTC, 4 rue Hermann Frenkel 69367 Lyon cedex 07 FRANCE. (Notified Body No. 0075)

The descriptions, characteristics, applications and photos are given for information purposes and do not constitute a contractual commitment. The manufacturer reserves the right to make any modifications it deems necessary.