



USER INFORMATION SHEET

INSTRUCTION TO USER; READ BEFORE USE.



HAND PROTECTION

MODEL REF: **TYPHAN® XP1**WITH
STEELCORE

Description:

Lightweight Composite Cut glove equipped with a breathable Polyurethane coating, in combination with a hi-performance composite 13 gg liner that is high in tensile strength and designed to protect in high-cut hazard environments. For use in dry conditions.

TYPHAN[®]

SERIES

Marking:

**SIZE, TYPHAN XP1,**

Testing

EN388:2016

**4 5 4 4 E**

Protection from mechanical risks

4	Abrasion resistance (0-4)
5	Cut resistance (0-5)
4	Tear resistance (0-4)
4	Puncture resistance (0-4)
E	Blade-Cut-ISO 13997 (A-F) *

- Testing carried out on the palm material -

*The numbers indicate performance levels. For dulling during cut resistance test (6.2), the coupe test results are only indicative while the TDM cut resistance test (6.3) is the reference performance result.

Sizes Available:

7, 8, 9, 10, 11 (Small - XX-large)

All sizes comply with EN420:2003 for comfort, fit and dexterity.

Hand Size					
6	7	8	9	10	11
XS	S	M	L	XL	XXL

Precautions for Use:

1. Never use these gloves with chemicals. 2. Gloves should not be used when there is a risk of entanglement with moving machine parts. 3. Before usage, inspect the gloves for any defects or imperfections. Avoid wearing damaged, dirty or worn out gloves. 4. The gloves should not come in contact with a naked flame. 5. DO NOT SUBJECT TO HIGH SPEED OR SERRATED BLADES. 6. This data may not reflect actual duration of protection in the workplace due to factors such as temperature, abrasion and degradation etc. 7. Protection against risks or hazards not mentioned in this document is not warranted. 8. The levels of performance mentioned are only valid for new gloves. 9. **While these gloves are extremely cut resistant, they are not cut proof.** 10. You are advised to retain this packaging for future reference. 11. These instructions can be electronically requested via our technical team. 12. This glove is not liquid proof. 13. It is the reseller's responsibility to provide the legal information and instructions for use (if provided in a split pack or individually) and, where applicable, translations into the language of the destination country.

General Information:

These gloves have been designed to protect the hands against primarily mechanical risks as defined by the PPE Directive 89/686/EEC. They are in compliance with and are labelled according to the requirements of the PPE Directives and subsequent amendments and comply with the applicable technical European Standards detailed in this document. UCI will not be held responsible for the improper use of the product for non-designated purposes. Assess your actual workplace conditions to determine if these gloves are appropriate for the specified use. This glove meets the requirements of the standard EN420:2003 'General Requirements for Work Gloves', Dexterity Level 5.

Care & Maintenance:

Do not use with chlorine bleaches. The performance results are for products in a new condition only and UCI cannot accept any liability if the gloves do not have the same levels of performance after washing. Washing or dry cleaning is therefore not recommended.

Storage: Keep away from direct sunlight; store in a cool dry place. Keep away from ozone sources or naked flame. Store the gloves in their original packaging.



Constituents / Allergies :

Some gloves may contain ingredients which are known to be a possible cause of allergies in sensitive persons who may develop irritant and/or allergic contact reactions. If an allergic reaction should occur seek medical advice immediately. This model does not contain any substances at levels that are known to, or suspected to, adversely affect user hygiene or health. This product is treated with Sanitized® and incorporate a biocidal product. The biocidal treatment protects against a broad spectrum of bacteria and fungi. The active biocidal substance - Zinc Pyrithione - promotes freshness and inhibits odours. SANITIZED® has no products with nano material.

Certification:

Tested in accordance with EN 420:2003 + A1:2009, EN 388:2016.

EC type examinations were carried out by:

SGS United Kingdom Limited, Unit 202B, Worle Parkway, Weston-super-Mare, BS22 6WA, UK. (NB No:0120)

“
**Leadership in
PROTECTION.**”

**Ultimate
Industrial**

More information and relevant documentation, including EC Declaration of Conformities, are available at the below contact address and/or web address.