

# EC Declaration of Product Conformity

The manufacturer established in the community;

**BM Polyco Ltd  
Crown Road  
Enfield  
EN1 1TX  
United Kingdom**

Certified to ISO 9001

declares that the new PPE described hereafter



## **GRIP IT BLUE/GREY** Nitrile Palm Coated Nylon Knitted Glove

is in conformity with the provisions of Council Directive 89/686/EEC and where such is the case, with National Standards transposing harmonised standards EN388:2003 and EN420:2003.

is identical to the PPE which is the subject of EC certificate of conformity No. GB12/86042 issued by SGS United Kingdom Ltd, 202B Worle Parkway, Weston-super-Mare, BS22 6WA, UK. (Notified Body No. 0120)

### **MECHANICAL HAZARDS EN388:2003**



Test	Performance Level
Abrasion	4
Blade cut	1
Tear	2
Puncture	1



Intermediate Design

## User Information

Glove care: To get the best service from your gloves ensure that after use all contaminant is removed.

Storage: store in dry conditions away from direct sunlight and heat.

You are advised to retain this packaging for reference.

Protection levels apply to the coated part of the glove only.

Note: Should not be worn where there is a risk of entanglement with moving machinery

## Range Available: sizes and codes

Sizes	6	7	8	9	10
Code	8810B	8811B	8812B	8813B	8814B

Done at Enfield, 27/01/14



Bernard Garvey  
Technology Director

# EC Declaration of Product Conformity

The manufacturer established in the community;

**BM Polyco Ltd  
Crown Road  
Enfield  
EN1 1TX  
United Kingdom**

Certified to ISO 9001

declares that the new PPE described hereafter



## **GRIP IT WHITE/GREY** Nitrile Palm Coated Nylon Knitted Glove

are in conformity with the provisions of Council Directive 89/686/EEC and where such is the case, with National Standards transposing harmonised standards EN388:2003 and EN420:2003.

is identical to the PPE which is the subject of EC certificate of conformity No. GB12/86042 issued by SGS United Kingdom Ltd, 202B Worle Parkway, Weston-super-Mare, BS22 6WA, UK. (Notified Body No. 0120)

### **MECHANICAL HAZARDS EN388:2003**



Test	Performance Level
Abrasion	4
Blade cut	1
Tear	2
Puncture	1



Intermediate Design

## User Information

Glove care: To get the best service from your gloves ensure that after use all contaminant is removed.

Storage: store in dry conditions away from direct sunlight and heat.

You are advised to retain this packaging for reference.

Protection levels apply to the coated part of the glove only.

Contains accelerators, which may cause allergic reactions.

Note: Should not be worn where there is a risk of entanglement with moving machinery

## Range Available: sizes and codes

Size	6	7	8	9	10
Code	8810WG	8811WG	8812WG	8813WG	8814WG

Done at Enfield, 27/01/14



Bernard Garvey  
Technology Director