



Notified body N° 0075

EC-TYPE EXAMINATION CERTIFICATE

The following model of Personal Protective Equipment has been subjected to an EC-type examination in accordance with the article 10 of the PPE Directive (89/686/EEC) and has been shown to satisfy the relevant provisions of the Directive.

Certificate N°

0075/2003/162/06/16/0584

Is given to the following model of personal protective equipment :

Issued to : RODO LIMITED
LUMB LANE DROYLSDEN GREATER MANCHESTER M437BU
UNITED KINGDOM
Distributor : /

Product reference : 84307

Description :

PPE Type : *Protective gloves against mechanical risks.*
Reference standard : *EN 388 : 2003.*
Category : *II*

Full description of the PPE, reference rules verified in the context of the EC-type examination and information given on the product are detailed in the complete certificate N°0075/2003/162/06/16/0584.

Issued in Lyon by Lionel Gaudillere
Head of CE marking

Date of issue : June 01st, 2016



In application of the Directive ref 89/686/EEC of the 21th December 1989, concerning the alignment of member state legislation relating to personal protective equipment and the decree N°92-765, 766 and 768 of the 29th July 1992 concerning the transposition of this Directive into French law. CTC is notified by decree of the Ministry of work of the 20th December 2010 and is registered under the number 0075 in OJEU.



4 rue Hermann Frenkel 69367 Lyon cedex 07 FRANCE
Tel : 33 472 761 010 - Fax : 33 472 761 000 - email : ctclyon@ctcgroup.com - www.ctc.fr
Comité professionnel de développement économique cuir chaussure maroquinerie
Siret 77564972600160 - code NAF 9412Z - TVA FR 88775649726



In application of the Directive ref. 89/686/EEC of the 21st of December 1989, concerning the alignment of member state legislation relating to personal protective equipment and the decrees n° 92-765, 766 and 768 of 29th of July 1992 concerning the transposition of this Directive into French law,

CTC

4,rue Hermann Frenkel - 69367 Cedex 07 - France
Tel +33 (0)4 72 76 10 10 - Fax +33 (0)4 72 72 76 10 00 - E-Mail : ctclyon@ctcgroupe.com - www.ctc.fr

authorized by decrees of the Ministry of Work, Employment and Health of the 20th of December 2010,
registered under the number 0075, published in OJEC, delivers :

EC-TYPE EXAMINATION CERTIFICATE 0075/2003/162/06/16/0584

To the following model of personal protective equipment :

- * reference of the model : 84307
- * protective glove against mechanical risks.
- * Manufacturer :

RODO LIMITED

LUMB LANE DROYLSDEN GREATER MANCHESTER M437BU

UNITED KINGDOM

Description of the protective glove, reference of technical rules verified in the context of the CE type examination and informations indicated on the product are detailed in the following pages of this certificate.

Drawn up in Lyon, on June 01st, 2016

Issued by Lionel GAUDILLERE



NOTA : Any modification to new items of the personal protective equipment object of this CE type approval certificate or any modification of the information contained in the manufacturer technical file which served for the deliverance of the CE type approval certificate (change of adress, change of company status) should be brought to the attention of the notified body in accordance with law n° R. 4313-38 of the French Code of Work.

1. DESCRIPTION OF THE PROTECTIVE GLOVE

According to the technical file index : 01
 Reference : 84307
 Basic Model
 Dated : JUNE, 2016

Cut Resistance Level 5 With Nitrile Smooth Dipping

Available sizes :

9/L

Visual description :



Material :

	Color	Material	Gauges	Thickness
PALM	Grey	Nitrile		1 mm
	Black and White	HPPE (high performance polyethylene)/ glass fiber/ spandex/ nylon/ polyester	13	
BACK	Black and White	HPPE (high performance polyethylene)/ glass fiber/ spandex/ nylon/ polyester	13	
LINING				
CUFF	Black and White	HPPE (high performance polyethylene)/ glass fiber/ spandex/ nylon/ polyester + elastic	13	
BINDING	Black	Polyester		

2. PROTECTION SCOPE

Compliance with the essential requirements of the Directive 89/686/EEC has been verified by using following technical rules:

- * EN 420:2003+A1:2009 - General requirements for gloves and test methods
- * EN 388:2003 - Protective glove against mechanical risks
- * At the date of certificate the product is in compliance with Annex XVII of REACH regulation (n° 1907/2006 and revisions)
- * This product is a category II.

References of test reports performed in order to verify the compliance with the requirements of the technical rules :

Laboratory	CTC	Other
EN 420	S151008395, S151210918	
Azo	S151008395	
EN 388	S151008395, S160504645	
OTHER	S151008395 (DMFu, Tin, Cad), S160504645 (PAHs)	

Performance levels offered against mechanical risks (EN 388:2003) are:

Abrasion resistance	Blade cut resistance	Tear strength resistance	Puncture resistance
4	5	4	4

The levels of performance have been measured on the palm

3. MARKING

Each glove is clearly marked with the following information:

- * Logo of the authorized representative:
- * **CE** marking
- * reference of the model: 84307
- * size
- * pictogram for mechanical risks followed by the performance levels
- * information pictogram

Marking example:



RODO LIMITED

MANUFACTURER'S TECHNICAL FILE

Reference of the product	:	84307
Technical file index	:	01
Last update	:	JUNE, 2016

IDENTIFICATION

Reference of the product :	:	84307
Basic model		
Technical file index :	:	01
Last update :	:	JUNE, 2016

Manufacturer :

RODO LIMITED

LUMB LANE DROYLSDEN GREATER MANCHESTER M437BU

UNITED KINGDOM

tel : +44(0)01613716425

fax : +44(0)01613716465

Factory :

GLOVE DESCRIPTION

Glove description :

Cut Resistance Level 5 With Nitrile Smooth Dipping

Visual description:



Available sizes :

Minimum length of glove (mm)	Sizes
250	9/L

Glove constitution :

	Reference	Color	Material	Surfacic mass	Gauges	Thickness
PALM		Grey	Nitrile	250g/m ²		1 mm
		Black and White	HPPE (high performance polyethylene)/ glass fiber/ spandex/ nylon/ polyester	300g/m ²	13	
BACK		Black and White	HPPE (high performance polyethylene)/ glass fiber/ spandex/ nylon/ polyester	300g/m ²	13	
LINING						
CUFF		Black and White	HPPE (high performance polyethylene)/ glass fiber/ spandex/ nylon/ polyester + elastic	320g/m ²	13	
BINDING		Black	Polyester			

PROTECTION SCOPE

This glove meets the essential requirements of the Personal Protection Equipment Directive (89/686/CE).

This glove is designed for mechanical risks.

It is a category II product.

GENERAL REQUIREMENTS

Standard EN 420 : 2003 + A1 : 2009

Dexterity : 5

PH of glove and lining is greater than 3.5 and lower than 9.5 : yes

Chromium VI lower than the detection limit : conform

Size : conform

At the date of certificate the product is in compliance with Annex XVII of REACH regulation (n° 1907/2006 and revisions)

SPECIFIC REQUIREMENTS AND PERFORMANCE LEVELS

Mechanical hazard EN 388 : 2003

Protection offered	Performance levels
Abrasion resistance	4
Blade cut resistance	5
Tear strength resistance	4
Puncture resistance	4

The levels of performance have been measured on the palm

TEST REPORTS

Laboratory	CTC	Other
EN 420	S151008395, S151210918	
Azo	S151008395	
EN 388	S151008395, S160504645	
OTHER	S151008395 (DMFu, Tin, Cad), S160504645 (PAHs)	

MARKING - PACKAGING

Information printed on the glove :

Logo of the authorized representative :

Logo CE

Glove's reference : 84307

Size indicator

Pictograms related to risks against which protection is offered with performance levels

Information pictogram

Marking example :



Method of marking on the glove :

heat transfer on the back of gloves

Packaging :

1pr/heat transfer, 1pr/opp bag, 120prs/ctn

MEANS OF CONTROL

1. Purchase Control According to quality influence degree of the final product in purchase, it is necessary to classify the purchased materials. The main and large batch of products directly affecting the qualities of final products should be purchased in the name list of eligible sub-contractor. Except for the above, the other products could be purchased in the market directly. 2. when all materials are set, the technician will check all the quality before mass products. 3. Personal Control, After quality training, the project department organizes quality personnel, security personnel to understand the technical intentions, acceptance standard, quality aim and safety measures of the special process. 4. Equipment control The project department is responsible for the inspection of the equipments used in the special process to ensure their perfection and make records. 5. Packing control, when packing we have also QC to check goods, then keep all goods are qualified

INSTRUCTION FOR USE

RODO LIMITED

LUMB LANE DROYLSDEN GREATER MANCHESTER M437BU

UNITED KINGDOM

Glove reference : 84307

Available sizes : 9/L

Glove description :

Cut Resistance Level 5 With Nitrile Smooth Dipping

THIS GLOVE IS A PERSONAL PROTECTIVE EQUIPMENT BELONGING TO THE CATEGORY II.

It meets the requirements of the Directive 89/686/CEE : innocuousness, comfort, solidity.

It has been subject to a CE type Examination performed by :

C.T.C. (0075)
4, rue Hermann Frenkel
69367 LYON Cedex 07
FRANCE

Applicable standards :


The glove meets the requirements of the standard EN 420 « General requirements for work glove ». Dexterity : 5

Moreover, this glove has been designed for the following applications :



Application

Mechanical hazard - EN 388



4544

Levels of performance

Abrasion resistance	4	(on 4 maxi)
Blade cut resistance	5	(on 5 maxi)
Tear resistance	4	(on 4 maxi)
Puncture resistance	4	(on 4 maxi)

Protection limit :

This model does not contain any substances at levels that are known to, or suspected to, adversely affect user hygiene or health.

The protection against risks or hazards which are not mentioned in this document is not warranted. The levels of performance mentioned are only valid for the palm of the glove. The levels of performance mentioned are only valid for new gloves, not washed, nor regenerated. These levels of performance are obtained from the tests done according to conditions defined by the applicable standards.

This glove shall not be in contact with fire.

Users should be warned that gloves should not be worn when there is a risk of entanglement by moving parts of machines.

Storage and cleaning notice

Keep in its original packaging, under ordinary temperature and humidity conditions and in clean, covered and ventilated premises.