Honeywell | Hand Protection

Rig Dog™ Waterproof

High impact gloves, water-resistant, with ANSI A6 cut protection.

We know your #1 priority is keeping your workers out of harm's way. Rig Dog™ Waterproof gloves provide the ultimate protection, as well as the enhanced grip and dexterity your team needs in wet applications.

But, Rig Dog[™] doesn't just offer safety. These gloves are durable and can absorb the sweat quickly and make your hand feel dry, so they are comfortable to wear during long shifts in tough environments. All of which helps to reduce costs and avoid downtime.





FEATURES & BENEFITS

- CoreNest[™] technology: reinforced TPR (thermoplastic rubber) composite material with honeycomb structure to enhance the energy absorption feature on back of hand for providing improved impact protection on knuckles
- Elevated finger-tip protection for providing enhanced impact protection on finger tips from hammering
- Minimum stitching on palm for providing low oil permeability through palm for comfort and long lasting experience
- Integrated, water-resistant membrane to keep hands dry in wet applications
- Cut and sewn construction with multilayer fabrics to provide ANSI A6 (ISO level F) cut resistance, enhanced oil grip, dry/wet grip, and level 4 abrasion resistance
- Quick dry, moisture wicking fabric to provide sweat management for all day comfort
- Reinforced thumb-crotch
 protection and durability
- Impact protection level 2 according to ANSI/ISEA 138, is notched to allow for great flexibility and dexterity











Cut-Resistant & Oil-Resistant Palm Impact Protection Back



Water-resistant membrane, and slip-on cuff

	CO	MP	OSI	τιο	Ν
--	----	----	-----	-----	---

	RIG DOG [™] WATERPROOF
Back	Polyester and Spandex, with foam inside
TPR	Thermal Plastic Rubber (Polyester spacer fabric inside)
Palm-inner layer	Polyester
Palm-middle layer	Aramid, Polyester, Glass fiber and Steel fiber
Palm-outer layer	Polyester + PU
Fourchette (finger side panels)	Polyester and Polyurethane
Thumb crotch	Polyester and Polyurethane
Cuff	Black Neoprene and Nylon
Cuff binding	Nylon and Spandex
Water-resistant film	TPU



LAUNDERING/STORAGE

30°C/86°F MACHINE WASH COOL. A mild commercial laundry detergent should be used. Do not tumble dry. Drip dry. Do not iron. Do not bleach.

It is recommended that product to be stored in original packaging in a cool dry place away from direct sunlight or other strong light. Away from chemicals. Recommended temperature range: 50°F to 86°F (10°C to 30°C).

INDUSTRIES

Oil & Gas, Construction, Railways, Mining, Heavy Duty Industry.

APPLICATIONS

Rigging, Drilling, Material handling, Ship building.

PACKAGING

Each pair has an individual poly bag. 6 pairs per inner pack, 12 inner packs per case.

For more information

www.honeywellsafety.com Technical Service: 800.873.5242

Honeywell Industrial Safety

9680 Old Bailes Rd Fort Mill, SC 29707 USA 800.430.5490 Canada 888-212-7233 informationsp@honeywell.com www.honeywell.com

Honeywell