

USER INFORMATION

USCCFKL-2

PREMIUM COWHIDE RIGGER GLOVE

GLOVE SERIES : USCCFKL-2



CE

GENERAL

These products are classed as Personal Protective Equipment (PPE) by the European PPE Directive to comply with this Directive through the Harmonised European Sandard BS EN 388, BS EN 420.

Premium coron and chrome glove with leather. Suitable for general heavy duty handling in dry conditions.

These gloves contain no hazardous substances. Avoid win near moving machinery due to entanglement hazard.

AVAILABLE STYLES : USCCFKL-2

AVAILABLE SIZES: 10

STORAGE: Gloves should be ideally stored in dry onditions in original package, away from direct sunlight.

CLEANING / MAINTENANCE

Both new and used gloves should be thoroughly inspected before being worn to ensure no damage is present. Gloves should not be left in contaminated condition if reuse is intended in which ase gloves should be cleaned as far as possible. Washing of this product is NOT contaminated condition if reuse is intended in which ase gloves should be cleaned as far as possible.

These gloves have been tested to BS EN 388:2003 and the protection referred to applies only to the palm area of the gloves. The result of the laboratory tests should help with correct glove selection however it should be understood that the actual conditions of use cannot be directly simulated. It is therefore the responsibility of the end user and not the manufacture to determine the gloves suitability for the intended

OBSOLESCENCE

When stored as recommended will not suffer change in mechanical properties for up to three years from the date of manufacture. Service life cannot be specified and depends on the expectation and responsibility of user to ascertain suitability of the glove for its intended use.

EN 388:2003





4133

(INTERMEDIATE) Safety Category Mechanical test date in accordance with EN 388:2003

Test results are taken from the plam area of the gloves

This Pictogram indicates that the products against Mechanical risks and complies under EN 388:2003. The numbers indicate performance levels.

This glove is not liquid proof. Protection against risks or hazards not mentioned in this document is not warranted. The levels of performance mentioned are ONLY valid for new gloves. The glove should not be allowed to come into contact with fire.

Users should be warred that gloves should not be worm when there is a risk of entanglement by moving parts of machinery

Tested in accordance with EN 420:2003+A1:2009, EN 388:2003, EC type examinations carried out by : CTC, 4, rue Hermann Frenkel, 69367 Cedex 07, France (Notified Body 0075)

Further information may be obtained from the address below. ULTIMATE INDUSTRIAL

Victoria House, Collery Road, Horeseley Fields, Wolverhampton, WV12RD

United Kingdom.